


LIVINGTREE



WOODEN FLOORING



**CREATING A HEALTHY CLIMATE,
IT'S IN OUR NATURE**

LivingTree is a natural wooden flooring that enables you to create a desired interior while promoting a wholesome atmosphere within your household.

Do away with needless problems in installation and upkeep. Utilize prompt delivery services and avoid any unforeseen additional costs.

Be confident that your flooring is produced from the latest and certified materials that fully adhere to the international standards of forest preservation.

Engineered plank (prefinished)


Two-layer engineered plank with 12 mm thickness (the top layer: oak ≈ 2.5 mm; the base layer: birch plywood ≈ 10 mm).

Colour	12/2,5 mm x 140 x 0,5-2,31		12/2,5 mm x 162 x 0,5-2,31	
	Rustik (d)	Natur (l)	Rustik (d)	Natur (l)
Black Walnut (brushed)	✓		✓	
Prinston (brushed)	✓	✓	✓	✓
Bert (brushed)	✓	✓	✓	✓
Natural (Brushed)		✓		✓
Colonial Style (brushed)	✓		✓	
Virgin (brushed)		✓		✓

Parquet plank (prefinished)

Three-layer parquet plank 14 mm thickness (top layer: oak ≈ 2,5 mm; middle layer: supporting, the wood fibers of which are perpendicular to the fibers of other layers; base balanced layer: plywood ≈ 1.5 mm).

Colour	14/2,5 x 164 MM	
	1815 (fix) / 2215 (fix)	
	Rustik (d)	Natur (d)
Black Walnut (brushed)	✓	✓
Prinston (brushed)	✓	✓
Bert (brushed)	✓	✓
Natural (Brushed)	✓	✓
Colonial Style (brushed)	✓	✓
Virgin (brushed)	✓	✓



Black Walnut (brushed)

Prinston (brushed)

Bert (brushed)

Natural (brushed)


Colonial style (brushed)

Virgin (brushed)

(prefinished) Chevron & Herringbone

Colour	Herringbone		Chevron	
	12/2,5 mm x 110 x 595		12/2,5 mm x 110 x 515	
	Rustik (l)	Natur (l)	Rustik (l)	Natur (l)
Black Walnut (brushed)	✓		✓	
Prinston (brushed)	✓	✓	✓	✓
Bert (brushed)	✓	✓	✓	✓
Natural (Brushed)		✓		✓
Colonial Style (brushed)	✓		✓	
Virgin (brushed)		✓		✓

Herringbone



Black Walnut
(brushed)

Prinston
(brushed)


Bert
(brushed)

Natural
(brushed)

Colonial style
(brushed)

Virgin
(brushed)

Chevron



Black Walnut
(brushed)

Prinston
(brushed)

Bert
(brushed)

Natural
(brushed)

Colonial style
(brushed)

Virgin
(brushed)

Grades description,

according with which the parquet floors of the LivingTree warehouse program are produced.

Natur

(l,d - light or dark filler color)

Knots up to 25 mm in diameter without limitation in number are allowed. Single sided sapwood up to 1/2 of the width and with no length limitation is allowed. Double sided sapwood no more than 1/2 of the length is allowed.


Rustic

(l,d - light or dark filler color)

It's a lively grade with more natural wood characteristics, knots up to 70 mm in diameter without limitation in number are allowed. Occasional shrinkage cracks up to 5 mm wide are allowed. Sapwood is allowed without any limitations.

*The filler color is specified in the grades


Engineered plank construction



Two-layer construction, 14 mm thickness:


- **Top layer:** oak \approx 2.5 mm.
- **Base:** birch plywood \approx 10 mm.

Parquet plank construction



Three-layer construction, 14 mm thickness:

- **Top layer:** oak \approx 2.5 mm.
- **Middle layer:** softwoods \approx 10 mm. Click system which allows to install parquet easily and without glue.
- **Bottom layer:** plywood \approx 1.5 mm.



Construction parquet boards without glue



Easy installation



Certified materials



2 years warranty



The company organizes and funds artificial reforestation campaigns



Zero-waste wood processing

Head office:

Moscow, Sretensky Boulevard, 6/1, block 1
Tel.: +7 (499) 444-27-61

Production site:

Krasnodar region, Apsheronk, Koroleva street, 128



livingtree.pro